PTO/SB/08A (08-03) OCT 0 6 2003 ubstitute for form 144 Complete if Known **Application Number** 10/632,662 INFORMATION DISCLOSURE Filing Date August 1, 2003 STATEMENT BY APPLICANT First Named Inventor Staple, Bevan **Art Unit** (use as many sheets as necessary) **Examiner Name** Sheet of 019930-003110US Attorney Docket Number

|                             | U.S. PATENT DOCUMENTS+ |   |                                |  |   |  |
|-----------------------------|------------------------|---|--------------------------------|--|---|--|
| Examiner<br>Initials*       | Cite<br>No.1           | Document Number  Number Kind Code <sup>2</sup> (if known) | Publication Date<br>MM-DD-YYYY | Name of Patentee or<br>Applicant of Cited Document | Pages, Columns, Lines, Where<br>Relevant Passages or Relevant<br>Figures Appear |  |
| MC_                         | A1                     | US-4,330,175  | 05-18-1982                     | Yohji Fujii et al.                                 |   |  |
| MC                          | A2                     | US-4,733,945  | 03-29-1988                     | Bacich   |   |  |
| WC_                         | A3                     | US-5,061,049  | 10-29-1991                     | Hombeck  |   |  |
| mc.                         | A4                     | US-5,117,311  | 05-26-1992                     | Nomura   |   |  |
| $\mathbf{m}$                | A5                     | US-5,212,582  | 05-18-1993                     | William E. Nelson                                  |   |  |
| mC.                         | A6                     | US-5,279,924  | 01-18-1994                     | Keiji Sakai et al.                                 |   |  |
| mo                          | A7                     | US-5,392,151  | 02-21-1995                     | Nelson   | -   |  |
| MC                          | A8                     | US-5,414,540  | 05-09-1995                     | Patel et al.                                       |   |  |
| MC                          | A9                     | US-5,493,452  | 02-20-1996                     | Hoshino et al.                                     |   |  |
| MC                          | A10                    | US-5,523,878  | 06-04-1996                     | Wallace et al.                                     |   |  |
| m C                         | A11                    | US-5,600,383  | 02-04-1997                     | Larry J. Hornbeck                                  |   |  |
| M                           | A12                    | US-5,602,671  | 02-11-1997                     | Hornbeck   |   |  |
| mc                          | A13                    | US-5,757,559  | 05-26-1998                     | Nomura et al.                                      |   |  |
| MC                          | A14                    | US-5,768,649  | 06-16-1998                     | Pearson  |   |  |
| 70                          | A15                    | US-5,867,302  | 02-02-1999                     | Fleming  |   |  |
| 2                           | A16                    | US-5,886,811  | 03-23-1999                     | Min  |   |  |
| m                           | A17                    | US-5,917,625  | 06-29-1999                     | Ogusu et al.                                       |   |  |
| <b>M</b>                    | A18                    | US-5,960,133  | 09-28-1999                     | Tomtinson  |   |  |
| MG                          | A19                    | US-5,991,066  | 11-23-1999                     | Robinson et al.                                    |   |  |
| MC                          | A20                    | US-5,999,288  | 12-07-1999                     | Georgios Nicos Ellinas et al.                      |   |  |
| MC                          | A21                    | US-5,999,672  | 12-07-1999                     | Hunter et al.                                      |   |  |
| me                          | A22                    | US-6,028,689  | 02-22-2000                     | Michalicek et al.                                  |   |  |
| nc.                         | A23                    | US-6,040,935  | 03-21-2000                     | Michalicek   |   |  |
| <b>%</b>                    | A24                    | US-6,052,232  | 04-18-2000                     | lkawa  |   |  |
| W.                          | A25                    | US-6,097,519  | 08-01-2000                     | Ford   |   |  |
| N8.                         | A26                    | US-6,097,859  | 08-01-2000                     | Solgaard   |   |  |
| Mr.                         | A27                    | US-6,097,863  | 08-01-2000                     | Dipakbin Qasem Chowdhury                           | <del> </del>  |  |
| $\mathcal{M}^{\mathcal{T}}$ | A28                    | US-6,108,471  | 08-22-2000                     | · · · · · · · · · · · · · · · · · · ·              |   |  |
|                             | A29                    | US-6,128,122  | <del> </del>                   | Zhang et al.                                       |   |  |
| 300                         | A30                    | US-6,147,790  | 10-03-2000<br>11-14-2000       | Drake et al. Meier et al.                          |   |  |
| 200                         | A31                    | US-6,220,561 B1   | 04-24-2001                     | Garcia   |   |  |
| <del>☆</del> >>             | A32                    | US-6,263,127 B1   | 07-17-2001                     | Dragone et al.                                     |   |  |
| <b>₹</b>                    | A33                    | US-6,307,657 B1   | 10-23-2001                     | Joseph Earl Ford                                   |   |  |
| MX                          | A34                    | US-6,449,096 B1   | 09-10-2002                     | Fabiny et al.                                      |   |  |
| MC.                         | A35                    | US-6,480,320 B2   | 11-02-2002                     | Nasiri   |   |  |
| <b>WY</b>                   | A36                    |   | ·                              |  | -   |  |
| 7                           | A37                    | US-6,501,877 B1   | 12-31-2002                     | Weverka et al.                                     |   |  |
| <del>****</del>             | A38                    | US-6,535,319 B2<br>US-6,542,653 B2                        | 03-18-2003<br>04-01-2003       | Buzzetta et al.                                    |   |  |
| ***                         | A39                    | US-6,614,581 B2   |                                | Wu et al.  |   |  |
| 1 K                         | MJB                    | US-0,014,501 BZ   | 09-02-2003                     | Anderson   |   |  |

| Examiner  | Date       | -i        |  |
|-----------|------------|-----------|--|
| Signature |            | 1 2/11/21 |  |
| Signature | Considered | 1 3/4104  |  |
|           |            |           |  |

EXAMINER: Initial if reference considered, whether or not clation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 

Applicant's unique citation designation number (optional). 

Kind Codes of U.S. Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. 

Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 

Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 

Applicant is to place a check mark here if English language Translation is attached. 

60050606 v1

OTPE C. 17

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 2 of 3 

Complete If Known

Application Number 10/632,662

Filing Date August 1, 2003

First Named Inventor Staple, Bevan

Art Unit

Examiner Name

019930-003110US

| <del></del>         |              |   |     |
|---------------------|--------------|---|-----|
|                     |              | NON PATENT LITERATURE DOCUMENTS   |     |
| Examiner Initials * | Cite<br>No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T 2 |
| MC                  | C1           | AKIYAMA, T. et al.; "Controlled Stepwise Motion in Polysilicon Microstructures," Journal of Microelectromechanical Systems, Vol. 2, No. 3, September 1993; pp.106-110   |     |
| 80                  | C2           | ASHRUF, C.M.A. et al., "Galvanic porous silicon formation without external contacts," Sensors and Actuators 74 (1999) pp. 118-122   |     |
| E                   | C3           | BEAN, KENNETH et al., "Anisotropic Etching of Silicon," IEEE Transactions on Electron Devices, Vol. Ed-25, No. 10, October 1978   |     |
| 5                   | C4           | CIARLO, DINO R. "A latching accelerometer fabricated by the anisotropic etching of (110) oriented silicon wafers," Lawrence Livermore Nat'l Laboratory, March 1, 1992   |     |
| 2                   | C5           | DEWA, A.S. et al., "Development of a Silicon Two-Axis Micromirror for an Optical CrossConnect," Solid State Sensors and Actuators Workshop, Hilton Head, South Carolina, pp. 93-96  |     |
| mc                  | C6           | FORD, JOSEPH et al., "Wavelength Add Drop Switching Using Tilting Micromirrors," Journal of Lightwave Technology, Vol. 17, No. 5, May 1999  |     |
| mc                  | <b>C</b> 7   | GRADE, J. et al., "A Large-Deflection Electrostatic Actuator for Optical Switching Applications, Solid-State Sensor and Actuator Workshop, Hilton Head Island, South Carolina, June 4-8, 2000; pp. 97-100   |     |
| MC                  | C8           | GRAF, U.U. et al., Fabrication and Evaluation Of An Etched Infrared Diffraction Grating, Applied Optics, January 1, 1994, Vol. 33, No. 1, pgs. 96-102.  |     |
| mc                  | <b>C</b> 9   | HOPKINS, ROBERT E., Some Thoughts On Lens Mounting, Optical Engineering, September-October 1976, Vol. 15, No. 5, pgs. 428-430.  |     |
| MC                  | C10          | KAAJAKARI, V. et al.; "Ultrasonic Actuation for MEMS Dormancy-Related Stiction Reduction," In MEMS Reliability for Critical Applications, Proceedings of SAPIE Vol. 4180 (2000); pp. 60-65  |     |
| mc                  | C11          | KELLER, C. Dissertation entitled: Microfabricated Silicon High Aspect Ratio Flexures for In-Plane Motion, Fall 1998   |     |
| mc                  | C12          | KELLER, LUKE D. et al., Fabrication And Testing Of Chemically Micromachined Silicon Echelle Gratings, Applied Optics, March 1, 2000, Vol. 39, No. 7, pgs. 1094-1105.  |     |
| mc                  | C13          | KOCH, T.L. et al., "Anisotropically etched deep gratings for InP/InGaAsP optical devices," J.App. Phys. 62 (8), 15 October 1987   |     |
| MC                  | C14          | LOEWEN, ERWIN G. et al., Diffraction Gratings and Applications, Marcel Dekker, Inc., New York - Basel, Chapter 4, pgs. 132-136 and Chapter 8 pgs. 300-301.  |     |
| mc                  | C15          | MULLER, L. Dissertation entitled: Gimballed Electrostatic Microactuators with Embedded Interconnects, Spring 2000   |     |
| mc                  | C16          | NISHI, I. et al., "Broad-Passband-Width Optical Filter for Multi-Demultiplexer Using a Diffraction Grating and a Retroreflector Prism," Electronics Letters, Vol. 21, No. 10, 9th May 1985  |     |
|                     |              |   |     |

| Examiner<br>Signature                   | Nikel | RConne  | 6 Curtura | Date<br>Considered | 3/4 | 1/04 |  |
|---|-------|---|-----------|--------------------|-----|------|--|
| *====================================== |       | <del>, , , , , , , , , , , , , , , , , , , </del> | 77        |                    |     |      |  |

EXAMINER: Initial if reference considered, whether or retreatation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.

OTP E 2017

14498/PTO Substitute for fo Complete If Known Application Number 10/632,662 DISCLOSURE Filing Date August 1, 2003 STATEMENT BY APPLICANT First Named Inventor Staple, Bevan Art Unit (use as many sheets as necessary) Examiner Name Sheet 3 of 3 Attorney Docket Number 019930-003110US

| T                   |              | MONERATELITEDATINE DOGUMENTO   |     |
|---------------------|--------------|--|-----|
| Examiner Initials * | Cite<br>No.1 | NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T 2 |
| mo                  | C17          | PHILLIPPE, P. et al., "Wavelength demultiplexer: using echelette gratings on silicon substrate," Applied Optics, Vol. 24, No. 7, 1 April 1985  |     |
| MC                  | C18          | RALLISON, R. D., White Paper on: Dense Wavelength Division Multiplexing (DWDM) and the Dickson Grating, January 6, 2001, 9 pages.  |     |
| mc                  | C19          | SCHILLING, M. et al., "Deformation-free overgrowth of reactive ion beam etched submicron structures in InP by liquid phase epitaxy," Appl. Phys. Lett. 49 (12), 22 September 1986  |     |
| mc                  | C20          | SHAMS, MOHAMMAD KAZEM et al., Preferential Chemical Etching Of Blazed Gratings In (110)-<br>Oriented GaAs, Optics Letters, March 1979, Vol. 4, No. 3, pges. 96-98.   |     |
| mc                  | C21          | SMITH, M.S.D. et al., Diffraction Gratings Utilizing Total Internal Reflection Facets in Littrow Configuration, IEEE Photonics Technology Letters, January 1, 1999, Vol. 11, No. 1, pgs. 84-86.  |     |
| m                   | C22          | SUN, Z. J. et al., Demultiplexer with 120 channels and 0.29-nm Channel Spacing," IEEE Photonics Technology Letters, Vol. 10, No. 1, January 1998   | ,   |
| 2                   | C23          | TANG, W. et al., "Electrostatically Balanced Comb Drive for Controlled Levitation," Reprinted from Technical Digest IEEE Solid-State Sensor and Actuator Workshop, June 1990; pp. 198-202  |     |
| MC                  | C24          | TORCHEUX, L. et al., "Electrochemical Coupling Effects on the Corrosion of Silicon Samples in HF Solutions," J. Electrochem.Soc., Vol. 142, No. 6, June 1995   |     |
| 3                   | C25          | Transducer Elements, Piezo Systems, Inc., Cambridge MA, Catalog #3, 1998, pgs. 30-45.  |     |
| me                  | C26          | Types and Characteristics of SDH Network Protection Architectures, International Telecommunication Union (ITU-T), Recommendation G.941 October, 1998, pgs. 1-132.  |     |
| MC                  | C27          | VANKESSEL, P. et al., "A MEMS-Based Projection Display," Proceedings of the IEEE, Vol. 86, No. 8, August 1998; pp. 1687-1704   |     |
| mc                  | , C28        | WONG, ARK-CHEW et al., Anneal-Activated, Tunable, 68 MHz Micromechanical Filters, Center for Integrated Microsystems, Dept. of Electrical Engineering and Computer Science, University of Michigan, Ann Arbor, Michigan 48109, Transducers '99, June 7-10, 1999, pp. 1390-1393, Sendai, Japan    |     |

Examiner Signature Mille R Complitude Considered 3404

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.